Ehrlichiosis

General:

Ehrlichiosis is caused by coccoid gram negative ehrlichia bacteria belonging to rickettsia. Transmission occurs through ticks (Ixodes ricinus). The vectors can accommodate and transmit simultaneously *Borrelia burgdorferi* or *Babesia microti*. The incubation period is about 1-3 weeks. Out of 9 known types of ehrlichiosis, 2 are virulent for humans and cause the clinical symptoms of human granulocytosic ehrlichiosis (HGE):

1. *Ehrlichia sennetsu*: sennetsu fever in Japan,

2. *Ehrlichia chaffeensis canis*: North America (Georgia, Missouri, Oklahoma).

Symptomatology: Sennetsu fever in Japan presents acute with fever, shivering attacks, headaches and pains of the joints, sore throats and insomnia. Frequently a generalized, painful lymphadenopathy occurs; especially the retroauricular and posterior cervical lymph nodes are affected. The diseases described in the USA cover a spectrum of mildly proceeding diseases up to complicated forms, rarely with lethal outcome.

The **clinical picture** resembles the Rocky Mountain Spotted Fever (RMSF). The patients complain of fever, headaches, pain of joints, cough, nausea and loss of appetite. In contrast to the RMSF an exanthema is rarely observed. There is usually leukopenia and thrombopenia. It rarely leads to death with kidney failure, encephalopathy or ARDS.

The following tests are available:

- **Ehrlichia IgG antibodies**

Indication:	Suspicion of earlier infection
Material:	1 ml serum
TAT:	7-10 days*
Method:	IFT
Units:	Titer
Ref.- range:	<1:64

Updated 28/01/2022

DAkkS Deutsche Akkreditierungsstelle D-ML-13455-01-00

Freiburg Medical Laboratory ME LLC is accredited according to DIN EN ISO 15189.

^ non-accredited parameter

*performed in a collaborating laboratory (Germany)

- **Ehrlichia IgM antibodies**

Indication: Suspicion of acute infection
Material: 1 ml serum
TAT: 7-10 days*
Method: IFT
Method: Titer
Ref.- range: <1:20

For complete list of laboratory test offered at Freiburg Medical Laboratory, please visit http://www.fml-dubai.com/parameter-listings/

DAkkS Deutsche Akkreditierungsstelle D-ML-13455-01-00

Freiburg Medical Laboratory ME LLC is accredited according to DIN EN ISO 15189.

^ non-accredited parameter
*performed in a collaborating laboratory (Germany)