



Freiburg Medical Laboratory Middle East (L.L.C.)

P.O. Box: 3068, Dubai - UAE, Tel: 04 396 2227, Fax: 04 396 2228

E-mail: info@fml-dubai.com, Website: www.fml-dubai.com

Physician:

Dr. M. Jaksch
Freiburg Medical Lab

Laboratory Report Online Version

Report Date: 01.09.2018

Patient Name: sample report drug monitoring

Gender: Male
Date of Birth: 01.01.1996
Nationality:
Your ID:

Test Request Code:

Sample ID:
Patient ID No:

Sampling Date / Time: 01.09.2018 / 00:00
Receipt Date / Time: 01.09.2018 / 00:00

Remarks:

Insurance:

Analysis	Result	Flag	Units	Reference Range
Drug Monitoring/Screening (Urine)[Cut-off: ng/ml]				
U-Amphetamine (IA)[1000]	negative		qualitative	negative
U-Barbiturates (IA)[300]	negative		qualitative	negative
U-Benzodiazepines (IA)[300]	negative		qualitative	negative
U-Cannabinoides (IA)[50]	negative		qualitative	negative
U-Methadone (IA)[300]	negative		qualitative	negative
U-Opiate/Morphine (IA)[2000]	negative		qualitative	negative
U-Phencyclidine (IA)[25]	negative		qualitative	negative
U-Methamphetamine (IA)[1000]	negative		qualitative	negative
U-Cocaine (IA)[300]	negative		qualitative	negative
U-Tricycl. Antidep.(IA)[1000]	negative		qualitative	negative

Note:

Our reference values are adjusted to age and gender.
Daily internal Quality Control within the required range
(according to ISO 15189).

External Quality Control available on request.

^ non-accredited parameter

"This parameter is affected by Biotin intake of >5 mg
(RDI = 0.03mg)

* This investigation has been performed in a collaborating
accredited laboratory (Germany).

Techn. Validation by
Med. Technologist
(Supervisor of
the Department)

Dr. Nehmat EIBanna
Specialist
Clinical Pathology (U/S)
(DHA-P-0084548)

PD Dr. med. habil. M. Jaksch
Associate Professor
Medical Director
(DHA-LS-240710)

This report has been printed through Imed-Online-Reporting-System and therefore does not carry a signature.