



Freiburg Medical Laboratory Middle East (L.L.C.)

P.O. Box: 3068, Dubai - UAE, Tel: 04 396 2227, Fax: 04 396 2228

E-mail: info@fml-dubai.com, Website: www.fml-dubai.com

Physician:

Dr. M. Jaksch
Freiburg Medical Lab

Laboratory Report Online Version

Report Date: 13.03.2019

Patient Name: Sample Report STD Panel 1

Gender: Female
Date of Birth: 01.01.1980
Nationality:
Your ID:

Test Request Code: 1876
Sample ID:
Patient IDNo: 380578

Sampling Date / Time: 13.03.2019 / 10:00
Receipt Date / Time: 13.03.2019 / 11:00

Remarks:**Insurance:**

Analysis	Result	Flag	Units	Reference Range
STD Profile				
STD profile 1 - Urine				
Chlamydia trachomatis DNA (PCR)	negative		qualitative	negative
Neiss. gonorrhoeae DNA (PCR)	negative		qualitative	negative
Trichom. vaginalis DNA (PCR)	negative		qualitative	negative
Ureapl. Urealyticum DNA (PCR)	negative		qualitative	negative
Ureaplasma Parvum DNA (PCR)	negative		qualitative	negative
Mycoplasma hominis DNA (PCR)	negative		qualitative	negative
Mycopl. genitalium DNA (PCR)	negative		qualitative	negative

Note:

Our reference values are adjusted to age and gender.
Daily internal Quality Control within the required range
(according to ISO 15189).

External Quality Control available on request.

^ non-accredited parameter

"This parameter is affected by Biotin intake of >5 mg
(RDI = 0.03mg)

* This investigation has been performed in a collaborating
accredited laboratory (Germany).

Techn. Validation by
Med. Technologist
(Supervisor of
the Department)

Dr. Nehmat EIBanna
Specialist
Clinical Pathology (U/S)
(DHA-P-0084548)

PD Dr. med. habil. M. Jaksch
Associate Professor
Medical Director
(DHA-LS-240710)

This report has been printed through Imed-Online-Reporting-System and therefore does not carry a signature.