



Freiburg Medical Laboratory Middle East (L.L.C.)

P.O. Box: 3068, Dubai - UAE, Tel: 04 396 2227, Fax: 04 396 2228

E-mail: info@fml-dubai.com, Website: www.fml-dubai.com

Physician:

Laboratory Report Online Version

Report Date: 02.07.2019

Patient Name: Sample Report - Atopy

Gender:

Date of Birth:

Nationality:

Your ID:

Test Request Code:

Sample ID:

Patient IDNo:

Sampling Date / Time: 01.07.2019 / 16:13

Receipt Date / Time: 01.07.2019 / 16:33

Remarks:

Insurance:

Analysis	Result	Flag	Units	Reference Range
Immunology (Serum)				
IgE, total (ECL)"	36.0	high	IU/ml	< 15
Allergy				
Atopy Panel				
Dermatophagoides pter. (slgE)	< 0.35		kU/l	< 0.35
Dermatophagoides farinae (slgE)	< 0.35		kU/l	< 0.35
Honey bee venom (slgE)	< 0.35		kU/l	< 0.35
Common wasp venom (slgE)	< 0.35		kU/l	< 0.35
German Coackroach (slgE)	< 0.35		kU/l	< 0.35
House dust (slgE)	< 0.35		kU/l	< 0.35
Cat (slgE)	< 0.35		kU/l	< 0.35
Dog (slgE)	< 0.35		kU/l	< 0.35
Horse (slgE)	< 0.35		kU/l	< 0.35
Penicillium notatum (slgE)	< 0.35		kU/l	< 0.35
Clasdosporium herbarum (slgE)	< 0.35		kU/l	< 0.35
Aspergillus fumigatus (slgE)	< 0.35		kU/l	< 0.35
Alternaria alternata (slgE)	< 0.35		kU/l	< 0.35
Sweet vernal grass (slgE)	< 0.35		kU/l	< 0.35
Orchard grass (slgE)	< 0.35		kU/l	< 0.35
Timothy grass (slgE)	< 0.35		kU/l	< 0.35
Cultivated rye (slgE)	< 0.35		kU/l	< 0.35
Alder (slgE)	< 0.35		kU/l	< 0.35

Note:

Our reference values are adjusted to age and gender.

Daily internal Quality Control within the required range (according to ISO 15189).

External Quality Control available on request.

^ non-accredited parameter

* This parameter is affected by Biotin intake of >5 mg (RDI = 0.03mg)

* This investigation has been performed in a collaborating accredited laboratory (Germany).

Techn. Validation by
Med. Technologist
(Supervisor of
the Department)

Dr. Nehmat EIBanna
Specialist
Clinical Pathology (U/S)
(DHA-P-0084548)

PD Dr. med. habil. M. Jaksch
Associate Professor
Medical Director
(DHA-LS-240710)

This report has been printed through Imed-Online-Reporting-System and therefore does not carry a signature.



Freiburg Medical Laboratory Middle East (L.L.C.)

P.O. Box: 3068, Dubai - UAE, Tel: 04 396 2227, Fax: 04 396 2228

E-mail: info@fml-dubai.com, Website: www.fml-dubai.com

Physician:

Laboratory Report Online Version

Report Date: 02.07.2019

Patient Name: Sample Report - Atopy

Gender:

Date of Birth:

Nationality:

Your ID:

Test Request Code:

Sample ID:

Patient IDNo:

Sampling Date / Time: 01.07.2019 / 16:13

Receipt Date / Time: 01.07.2019 / 16:33

Remarks:

Insurance:

Analysis	Result	Flag	Units	Reference Range
Allergy, Continuation				
Birch (slgE)	< 0.35		kU/l	< 0.35
Hazel (slgE)	< 0.35		kU/l	< 0.35
Oak (slgE)	< 0.35		kU/l	< 0.35
Cypress (slgE)	< 0.35		kU/l	< 0.35
Common ragweed (slgE)	< 0.35		kU/l	< 0.35
Mugwort (slgE)	< 0.35		kU/l	< 0.35
English plantain (slgE)	< 0.35		kU/l	< 0.35
Latex (slgE)	< 0.35		kU/l	< 0.35
Tomato (slgE)	< 0.35		kU/l	< 0.35
Carrot (slgE)	< 0.35		kU/l	< 0.35
Potato (slgE)	0.53	high	kU/l	< 0.35
Celery (slgE)	< 0.35		kU/l	< 0.35
Egg white (slgE)	1.00	high	kU/l	< 0.35
Egg yolk (slgE)	< 0.35		kU/l	< 0.35
Cow`s milk (slgE)	< 0.35		kU/l	< 0.35
Codfish (slgE)	< 0.35		kU/l	< 0.35
Crab (slgE)	< 0.35		kU/l	< 0.35
Shrimp/Prawn (slgE)	< 0.35		kU/l	< 0.35
Bovine serum albumin (slgE)	< 0.35		kU/l	< 0.35
α-Lactalbumin (slgE)	< 0.35		kU/l	< 0.35
β-Lactoglobulin (slgE)	< 0.35		kU/l	< 0.35
Casein (slgE)	< 0.35		kU/l	< 0.35
Beef (slgE)	< 0.35		kU/l	< 0.35

Note:

Our reference values are adjusted to age and gender.

Daily internal Quality Control within the required range

(according to ISO 15189).

External Quality Control available on request.

^ non-accredited parameter

*This parameter is affected by Biotin intake of >5 mg

(RDI = 0.03mg)

* This investigation has been performed in a collaborating accredited laboratory (Germany).

Techn. Validation by
Med. Technologist
(Supervisor of
the Department)

Dr. Nehmat EIBanna
Specialist
Clinical Pathology (U/S)
(DHA-P-0084548)

PD Dr. med. habil. M. Jaksch
Associate Professor
Medical Director
(DHA-LS-240710)

This report has been printed through Imed-Online-Reporting-System and therefore does not carry a signature.



Freiburg Medical Laboratory Middle East (L.L.C.)

P.O. Box: 3068, Dubai - UAE, Tel: 04 396 2227, Fax: 04 396 2228

E-mail: info@fml-dubai.com, Website: www.fml-dubai.com

Physician:

Laboratory Report Online Version

Report Date: 02.07.2019

Patient Name: Sample Report - Atopy

Test Request Code:

Gender:

Sample ID:

Date of Birth:

Patient IDNo:

Nationality:

Your ID:

Sampling Date / Time: 01.07.2019 / 16:13

Receipt Date / Time: 01.07.2019 / 16:33

Remarks:

Insurance:

Analysis	Result	Flag	Units	Reference Range
Allergy, Continuation				
Mutton/Lamb (slgE)	< 0.35		kU/l	< 0.35
Baker's yeast (slgE)	< 0.35		kU/l	< 0.35
Wheat flour (slgE)	< 0.35		kU/l	< 0.35
Rye flour (slgE)	< 0.35		kU/l	< 0.35
Rice (slgE)	< 0.35		kU/l	< 0.35
Soybean (slgE)	< 0.35		kU/l	< 0.35
Sesame (slgE)	< 0.35		kU/l	< 0.35
Peanut (slgE)	< 0.35		kU/l	< 0.35
Hazelnut (slgE)	< 0.35		kU/l	< 0.35
Almond (slgE)	0.53	high	kU/l	< 0.35
Apple (slgE)	< 0.35		kU/l	< 0.35
Kiwi (slgE)	< 0.35		kU/l	< 0.35
Apricot (slgE)	< 0.35		kU/l	< 0.35
CCD marker	< 0.35		kU/l	< 0.35
Indicator	60.0		kU/l	> 17.5

Class	Concentration (kU/l)	Interpretation
0	<0.35	Negative
1	0.35 - 0.7	Very weak reaction
2	0.7 - 3.5	Weak reaction
3	3.5 - 17.5	Significant reaction
4	17.5 - 50.0	High reaction
5	50.0 - 100.0	Very high reaction
6	>100	Extremely high reaction
Indicator	> 17.5	Test valid

Note:

Our reference values are adjusted to age and gender.
Daily internal Quality Control within the required range
(according to ISO 15189).

External Quality Control available on request.

^ non-accredited parameter

* This parameter is affected by Biotin intake of >5 mg
(RDI = 0.03mg)

* This investigation has been performed in a collaborating
accredited laboratory (Germany).

Techn. Validation by
Med. Technologist
(Supervisor of
the Department)

Dr. Nehmat EIBanna
Specialist
Clinical Pathology (U/S)
(DHA-P-0084548)

PD Dr. med. habil. M. Jaksch
Associate Professor
Medical Director
(DHA-LS-240710)

This report has been printed through Imed-Online-Reporting-System and therefore does not carry a signature.



Freiburg Medical Laboratory Middle East (L.L.C.)

P.O. Box: 3068, Dubai - UAE, Tel: 04 396 2227, Fax: 04 396 2228

E-mail: info@fml-dubai.com, Website: www.fml-dubai.com

Physician:

Laboratory Report Online Version

Report Date: 02.07.2019

Patient Name: Sample Report - Atopy

Gender:

Date of Birth:

Nationality:

Your ID:

Test Request Code:

Sample ID:

Patient IDNo:

Sampling Date / Time: 01.07.2019 / 16:13

Receipt Date / Time: 01.07.2019 / 16:33

Remarks:

Insurance:

Analysis

Result

Flag

Units

Reference Range

Interpretation:

Antibody assessments at the age of 9 months have to be reviewed with caution. It has been speculated that IgE Abs can cross the placental barrier. Please adjust with the maternal IgE status.

Note:

Our reference values are adjusted to age and gender.
Daily internal Quality Control within the required range
(according to ISO 15189).

External Quality Control available on request.

^ non-accredited parameter

"This parameter is affected by Biotin intake of >5 mg
(RDI = 0.03mg)

* This investigation has been performed in a collaborating
accredited laboratory (Germany).

Techn. Validation by
Med. Technologist
(Supervisor of
the Department)

Dr. Nehmat EIBanna
Specialist
Clinical Pathology (U/S)
(DHA-P-0084548)

PD Dr. med. habil. M. Jaksch
Associate Professor
Medical Director
(DHA-LS-240710)

This report has been printed through Imed-Online-Reporting-System and therefore does not carry a signature.