



Freiburg Medical Laboratory Middle East (L.L.C.)

P.O. Box: 3068, Dubai - UAE, Tel: 04 396 2227, Fax: 04 396 2228

E-mail: info@fml-dubai.com, Website: www.fml-dubai.com

Physician:

Laboratory Report Online Version

Report Date: 23.02.2019

Patient Name: Sample Report

Gender:

Date of Birth:

Nationality:

Your ID:

Test Request Code:

Sample ID:

Patient IDNo:

Sampling Date / Time: 23.02.2019 / 11:00

Receipt Date / Time: 23.02.2019 / 12:38

Remarks:

Insurance:

Analysis	Result	Flag	Units	Reference Range
----------	--------	------	-------	-----------------

Blood Grouping (EDTA blood)

Blood Group (AGGL)

A

Rhesus Factor (AGGL)

positive

The determination of the blood group is done using both, the direct antigen testing (A, B, DVI-, CDE) and the serum cross check for confirmation. As per the recommendation for RhD typing for blood donor testing, the test does not detect the DVI phenotype.

Subgroups (AGGL)

CCee

Kell (AGGL)

negative

Note:

Our reference values are adjusted to age and gender.
Daily internal Quality Control within the required range (according to ISO 15189).

External Quality Control available on request.

^ non-accredited parameter

* This parameter is affected by Biotin intake of >5 mg (RDI = 0.03mg)

* This investigation has been performed in a collaborating accredited laboratory (Germany).

**Techn. Validation by
Med. Technologist
(Supervisor of
the Department)**

**Dr. Nehmat ElBanna
Specialist
Clinical Pathology (U/S)
(DHA-P-0084548)**

**PD Dr. med. habil. M. Jaksch
Associate Professor
Medical Director
(DHA-LS-240710)**

This report has been printed through Imed-Online-Reporting-System and therefore does not carry a signature.